


ALL PREVIOUS LISTS CANCELLED.

This Catalogue effective from 21st August 1930.

ENDURALL

(REG. TRADE MARK)

**METAL
GATES *and* FENCES**



Manufactured by:

WIRE GATE & FENCE CO. of N.S.W.

Office and Works:

**BRUCE STREET, CROWS NEST
— NORTH SYDNEY —**

Telephone X 3859. ALL HOURS

COPYRIGHT.

TC 690 WIR

B/C 3-87791

WIRE GATE & FENCE CO. OF N.S.W.

INTRODUCTORY

Before placing orders for your requirements elsewhere, there are some essential details, in connection with our products, which are worthy of consideration.

Firstly, the success of our undertaking is due primarily to the quality of the goods we supply, the service we give to our customers, and our attention to detail.


Secondly, from the time the order is received in the office until it leaves the factory it is under our personal supervision.

Thirdly, all the gates manufactured in our factory are welded throughout. The necessary struts, scrolls, etc., are welded into the frame, thus making one solid mass. We adopt this method for two principal reasons, viz.: strength, and as a preventative against corrosion. Corrosion on the outside of gates and ornamental fences can be effectively prevented by painting or galvanising. The only way to arrest corrosion from the inside is to manufacture the article in such a way that moisture cannot penetrate to the inside. This is accomplished by welding. The fact that no holes are drilled in the tube prevents the ingress of moisture. In this regard we claim that our products have an additional advantage over others which are not welded.


Fourthly, if desired we can have your gate or ornamental fence galvanized, which, although entailing a small extra cost, lengthens the life of the article.

IT IS IMPORTANT, when ordering gates, that you give measurements for widths as follows:—

If gates are to be hung between posts, give exact measurement of opening from post to post:—



If to be hung on face of posts give measurements as shown in the following sketch:—



If fastenings required to be bolted through posts, give diameter of posts.

Give exact size of opening. We make necessary allowances for hinges and catches.

For height, give measurement from bottom to top bar of gates.

First give size of opening, then height, and lastly, figure number. Do not cut catalogue—figure number is sufficient.

If unequal leaves are required in pairs of gates, advise us which side the small gate is to be hung, looking from the street.

All ordinary fittings are included in price of gates.

If desired, we will fix your gates and wire for you. Our charges for this work are moderate, and our fixers are expert workmen.

BRUCE STREET, CROWS NEST

TC has wire

WIRE GATE & FENCE CO. OF N.S.W.

Ornamental Gates



Fig. 1.




Fig. 3.



Fig. 5.

Hinges and catches are supplied with all our gates and are included in price quoted.

"ENDURALL" gates are the acme of perfection in appearance, durability and price. Self-closing hinges and two-way catches supplied at small additional cost.




Fig. 2.




Fig. 4.




Fig. 6.

BRUCE STREET, CROWS NEST

Ornamental Gates

"ENDURALL" - hand
gates are obtainable to
match any design in
driveway gates.




Fig. 7.



Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.

If desired, we will fix your gates and wire.
Our charges for this work are moderate, and our
fixers are expert workmen.




Fig. 11a.

Ornamental Gates




Fig. 14.




Fig. 12.




Fig. 13.



Fig. 61.



Fig. 60.




Fig. 59.

"ENDURALL" gates are made under our personal supervision, and always give satisfaction.




Fig. 72.

Your car entrance will be much more attractive if you have "ENDURALL" gates.

See also




Fig. 73

Panel J

Wrought Iron Panels for Brickwork





Fig. 17. Panel A.
Made in heights of 12in., 18in. and 24in.



Fig. 17. Panel B.
24in., 30in. and 36in. high.



Panel C.

Fig. 7.



Panel H.

Fig. 7.

Made in heights 18in. and 24in.

For stability,
main wire in tubular
frames is unsur-
passed.

"E" design.
Very attractive
Heights made
12in., 18in.
and 24in.




Panel E.

Fig. 5.

Rigid

and


ornamental.



Panel L.

Fig. 84.

"L" design.
A very effective
fence.



Panel N
Very attractive

Fig. 85.

Wrought Iron Panels for Brickwork




Panel F

Fig. 13.

"F" design.
Made in heights of 12in.,
18in. and 24in. A very
effective fence.

"M" design.
In tubular frames.
Rigid and orna-
mental.



Panel M.

Fig. 20.





Fig 19

Panel D.


"D" design.
Made in heights of
12in., 18in. and
24in.

"O" design.
An artistic design.
7in. high.



Panel C

Fig. 3.



Panel P

Fig. 86

"P" design.
Simple but attractive.

Tubular Fencing

WITH Chain Wire

For a strong, durable fence, use our chainwire, which always looks well.





Fig. 4, Gates.

"ENDURALL" Fences always look well, they do not sag, and are not affected by the weather.




Design 87, Fence.

Design 88, Fence.

"ENDURALL" Fences are made under our personal supervision, and always give satisfaction.

Full particulars on application.




Design 89, Fence.

BRUCE STREET, CROWS NEST

Chain Wire Fencing

For a strong, durable fence use our chainwire, which always looks well.



Section Showing the Links.

Fig. 15.

If desired, we will fix your gates and wire.

Our charges for this work are moderate, and our fixers are expert workmen.




Fig. 46.

A. Fabric.

"A" Fence. Made in heights from 24in. to 52in., and 3in., 2½in. and 1½in. mesh.




Fig. 47.

B. Fabric.

"B" Fence. Heights, 36in., 42in., 46in. and 52in., and 1in. mesh.




Fig. 49.

F. Fabric.

"F" Fence. Heights, 36in., 42in., 46in. and 52in.




Fig. 48.

C. Fabric.

"C" Fence. Heights, 36in., 42in., 46in. and 52in.

Fabric Fencing

Farm and Station Fencing




Fig. 90

WARATAH FENCE "Hinged Joint"

A BOON TO LANDOWNERS

THE FENCE WITH THE PERFECT JOINT

Dyne's "K" Netting

Fig. 43




Fig 43

The Ideal Economy and Utility Fence for all Stock purposes. Invaluable to the Farmer, Dairyman and Grazier.

DYNE'S "K" Wire Netting is manufactured from best quality galvanised wire (rust proof) and made unusually strong by the triangular mesh construction, which prevents spreading and sagging of the line wires.

"K" netting is easy and quick to erect, and when in position provides a good, solid fence that will protect your stock; stand up to any

Fig. 45




Fig 45

amount of hard wear, and last practically a lifetime.

"K" netting is made in light and heavy grades for ordinary fencing purposes, and a special Pig Fence is also available. This latter has a heavy barbed line wire at the bottom, which prevents Pigs from rooting underneath the fence or spreading the netting.

The low cost of DYNE'S "K" netting makes it very attractive. Comparison of prices will show the undoubted benefit of buying this high grade netting.

BRUCE STREET, CROWS NEST.

Paddock Gates




Fig. 21

Plain driveway gate. Sizes: 8ft., 9ft., 10ft., 11ft.
Galvanised chain wire, $1\frac{1}{2}$ in. mesh, 12 gauge.




Fig. 22.

Poultry yard gate. 6ft. high. Will stand hard
usage. Sizes: 2ft. 6in., 3ft., 3ft. 6in., and 4ft.
Covered with $1\frac{1}{2}$ mesh netting.




Fig. 23.

Paddock gate, 4ft. high. 3,
 $3\frac{1}{2}$ and 4ft. openings.




Fig. 24.

Paddock gate, 4ft. high. Sizes: 5ft.
and 6ft. openings.




Fig. 25.

"Pyramid" farm gate,
4ft. high. Sizes: 7ft., 8ft.,
9ft. and 10ft.




Fig. 26.

Pig pen gate, three lower strands barbed-wire.
3ft. 6in. high. Sizes: 7, 8, 9 and 10ft.

All-Welded Farm Gates




Fig. 27.

"ENDURALL N" gate, 4ft. high.
Sizes: 10, 11, 12 and 13ft.




Fig. 29.

"N" gate, barbed extension.
Sizes: 10, 11, 12 and 13ft.




Fig. 30.

"M" gate. Made in sizes:
14ft., 15ft. and 16ft.




Fig. 31.

"Z" gate, rabbit netted.

Any gate in farm section can be rabbit
netted at extra cost.

Farm gates are made of 1 1/2 in. outside
diameter tube, with 1 1/2 in.
O.D. tube for struts.



Fig. 28.

"N" gate. Rabbit netted, illustrating
method of fixing rabbit proof wire.

Farm gates are also made of 1 1/2 in.
O.D. tube at small extra cost.

Farm and Station Gates




Fig. 32.

"ENDURALL". 2-Diamond Gate. Sizes: 10, 11, 12 and 13ft.




Fig. 33. "Z" gate. Sizes: 12, 13, 14, 15 and 16ft. 4ft. high.




Fig. 34. 3-Diamond Gate. Sizes: 14, 15 and 16ft. 4ft. high.

Farm gates are also made of 18in. O.D. tube at small extra cost.




Fig. 35.

4-bar gate. Sizes: 8ft. to 14ft. 4ft. high.

Farm and Station Gates




Fig. 36

Fig. 36.
5-bar gate.
Sizes: 8ft. to 14ft.
1½in. O.D. tube.

Fig. 37.
Paddock gate in pairs,
made of 1½in. or 1½in. O.D.
tube.
Sizes: 10ft. to 16ft.




Fig. 37.




Fig. 38.

Fig. 38.
2-diamond gate in pairs,
1½in. or 1½in. O.D. tube.
Sizes: 10ft. to 13ft.

Fig. 39.
3-diamond gate in
pairs.
1½in. or 1½in. O.D.
tube.
Sizes: 14ft. to 18ft.




Fig. 39.

WIRE GATE & FENCE CO. OF N.S.W.

Farm and Station Gates




Fig. 40. "M" gate in pairs. Sizes: 15ft. to 18ft.
1½in. or 1½in. O.D. tube.




Fig. 41.

Fig. 41. "Double N" gate, 1½in. or 1½in. C.D. tube. Size: 20ft. to 26ft.

Steel Fencing Standards



Steel fencing posts are regularly made in 5ft. and 5ft. 6in. lengths, but any special lengths can be supplied for dog fences, etc.


The standard drilling permits the erection of many types of plain and barb wire, rabbit and sheep netting fences, but special drillings may be obtained when desired.

Provision is made by slot and hole for a top barb wire.

Fig. 50

Standard Drilling.

6" 6" 5" 6" 8" 6" 6"



Posts are packed in bundles of 10 and weigh approximately:


5ft. 0in. . . 65lbs. per 10 posts

5ft. 6in. . . 72lbs. per 10 posts


BRUCE STREET, CROWS NEST.

Tubular Handrailing


Tubular Handrailing. Galvanized pipe
with or without chain wire.



Design 75.



Design 76.



Design 77.

OXY-WELDED.


Tubular Handrailing

to any
Specification.


WIRE GATE & FENCE CO. OF N.S.W.

Ornamental Handrailing


We are manufacturers of all
descriptions of Ornamental
Wire and Iron Work.



Design 78.



Design 79.



Design 80.


The Scroll work is $\frac{3}{4}$ in. mild steel,
 $\frac{1}{8}$ in. thick, and all welded.

"ENDURALL" products
are the acme of per-
fection in appearance,
durability and price.

BRUCE STREET, CROWS NEST

Ornamental Handrailing


HAND-RAILING
A SPECIALITY.



Design 81.




Design 82.



Design 83.

TENNIS ENCLOSURES



Design 74.

We specialise in erecting Tennis Court Enclosures.
Prices on Application.




Fig. 54.

Garden Arch.

Frame of galvanized tube,
covered with galvanized chain
wire, 2in. mesh; height, 7ft.;
width, 3ft. 6in.; depth, 22in.



Fig. 53.

"ENDURALL" Stretcher.



Fig. 55.

Garden Seat.

Frame of galvanized tube, covered with chain wire.

BRUCE STREET, CROWS NEST

Wire Work.





Fig. 62.

Crimped Wire, any mesh and gauge.



Fig. 16.

Window Guards.
All kinds of window guards supplied, wire framed, flat or round iron framed.



CRIMPED WIRE.
Fig. 63—Double.



Fig. 65—Fire Guards.




Fig. 64.

Builders' Screen.
The frame and legs are made of 1 1/2 in. steel tube, welded and covered with 1/2 in. mesh chain wire.




Fig. 66

Waste Paper Basket.
Will stand hard usage.




Fig. 67.

Machine Guard.

Gate Fittings




Fig. 56.

Method of fixing fittings in brickwork.




Fig. 59.

THROUGH BOLTS.

If Bolts to go right through Posts are required, diameter of Post must be stated.



Fig. 57.

Method of fixing fittings in wood.




Fig. 68.

Catch for Single Gates.




Fig. 69.

A two-way catch which will allow gate to open from either side is supplied with all farm and station gates.



Fig. 70.

Parrot-beak Catch, supplied with gates that swing on face of post.




Fig. 71.


Chain and Knob Catch supplied with Farm Gates.



Wholly set up
and Published by
WIRF GATE & FENCE
CO. OF N. S. W.
AUSTRALIA


All Previous Lists Cancelled

PRICE LIST



Wire Gate & Fence Co.
of N.S.W.

BRUCE ST. :: CROWS NEST





All Previous Lists Cancelled.

PRICE LIST

WIRE GATE & FENCE CO. OF N. S. W.

BRUCE STREET, CROW'S NEST.

This Price List effective from 1st November, 1931.

ALL PRICES SUBJECT TO ALTERATION WITHOUT NOTICE.

CATALOGUE PAGE 2.

Fig. 1.

Height Opening

	3	3½	4	8	9	10	11	12ft.
3 ft.	16/6	18/-	19/9	49/6	53/-	57/3	61/6	67/-
3½ft.	18/-	19/9	21/6	53/-	56/-	60/6	65/-	70/6
4 ft.	19/9	21/6	23/-	56/-	59/6	63/9	68/-	73/9

Top Scrolls: 3ft, 2/6; 3½ft. 4ft., 3/-; 8, 9, 10, 11, 12ft. 6/- extra.
1 inch tube 5/- per pair extra.

Fig. 2

Height Opening

	3	3½	4	8	9	10	11	12ft.
3 ft.	22/-	24/3	26/6	65/-	70/6	76/-	81/6	87/-
3½ft.	23/-	25/3	27/6	67/-	72/9	78/6	84/-	89/6
4 ft.	24/3	26/6	28/9	69/6	76/-	81/6	87/-	92/6

Top Scrolls: 3ft, 2/6; 3½ft. 4ft., 3/-; 8, 9, 10, 11, 12ft. 6/- extra.
1 inch tube, 5/- per pair extra.

Fig. 3

Height Opening

	3	3½	4	8	9	10	11	12ft.
3 ft.	25/6	27/6	29/9	79/3	84/9	90/9	95/9	101/9
3½ft.	26/6	28/6	30/9	81/6	88/-	93/6	99/-	104/6
4ft.	27/6	29/9	32/-	83/6	90/9	95/9	101/9	107/3

Top Scrolls: 3ft, 2/6; 3½ft. 4ft. 3/-; 8, 9, 10, 11, 12ft. 6/- extra.
1 inch tube, 5/- per pair extra.

ALL PRICES PLUS SALES TAX.

Fig. 4.

Height.	Opening								
	3	$3\frac{1}{2}$	4	8	9	10	11	12ft.	
3ft.	30/3	33/-	36/3	88/-	95/6	99/-	104/6	110/-	
$3\frac{1}{2}$ ft.	31/3	34/-	37/3	90/3	95/9	101/3	106/9	112/3	
4ft.	32/6	35/3	38/6	92/6	98/-	103/6	109/-	114/6	

Prices include Top Scrolls.

1 inch tube, 5/- per pair extra.

Fig. 5.

Height.	Opening								
	3	$3\frac{1}{2}$	4	8	9	10	11	12ft.	
3ft.	35/3	36/3	39/-	98/-	101/9	111/-	114/6	117/9	
$3\frac{1}{2}$ ft.	36/3	37/6	41/3	101/3	105/-	114/6	117/9	121/-	
4ft.	37/6	38/6	43/6	104/6	108/6	117/9	121/-	124/3	

Prices include Top Scrolls.

1 inch tube, 5/- per pair extra.

If required with centre bars in 8 and 9ft. Gates, add 5/- per pair.

Fig. 6.

Height.	Opening.								
	3	$3\frac{1}{2}$	4	8	9	10	11	12ft.	
10ft 4in.	68/9	71/3	79/9	184/3	200/9	217/3	233/9	250/3	

Prices include Top Scrolls.

1 inch tube in 8, 9, 10, 11, 12ft.

CATALOGUE PAGE 3.

Fig. 7.

Height.	Opening.								
	3	$3\frac{1}{2}$	4	8	9	10	11	12ft.	
3ft.	35/3	36/3	39/-	98/-	101/9	111/-	114/6	117/9	
$3\frac{1}{2}$ ft.	36/3	37/6	41/3	101/3	105/-	114/6	117/9	121/-	
4ft.	37/6	38/6	43/6	104/6	108/6	117/9	121/-	124/3	

Prices include Top Scrolls.

1 inch tube, 5/- per pair extra.

Fig. 8.

Height.	Opening.								
	3	$3\frac{1}{2}$	4	8	9	10	11	12ft.	
4ft. 4in.	60/6	68/3	77/-	170/6	187/-	201/6	220/-	236/6	

Prices include Top Scrolls.

1 inch tube in 8, 9, 10, 11, 12ft.

ALL PRICES PLUS SALES TAX.

Fig.9.

Height Opening

	3	3½	4	8	9	10	11	12ft.
4ft.4in.	57/9	63/3	68/9	162/3	178/9	195/3	211/9	228/3

Prices include Top Scrolls. 1 inch tube in 8,9,10,11,12ft.

Fig.10.

Height Opening

	3	3½	4	8	9	10	11	12ft.
4ft.4in.	57/9	60/6	63/3	154/-	165/-	176/-	187/-	203/6

Prices include Top Scrolls. 1 inch tube in 8,9,10,11,12ft.

Fig.11.

Height Opening

	3	3½	4	8	9	10	11	12ft.
3ft.10in.	51/9	55/-	60/6	132/-	143/-	159/6	176/-	192/6

Prices include Top Scrolls. 1 inch tube in 8,9,10,11,12ft.

Fig.11a.

Height Opening

	3	3½	4	8	9	10	11	12ft.
3ft.10in.	40/9	44/-	49/6	110/-	121/-	137/6	154/-	170/6

Prices include Top Scrolls. 1 inch tube in 8,9,10,11,12ft.

CATALOGUE PAGE 4.

Fig.12.

Height Opening

	3	3½	4	8	9	10	11	12ft.
4ft.4in.	68/9	71/6	77/-	225/6	231/-	242/-	253/-	264/-

Prices include Top Scrolls. 1 inch tube in 8,9,10,11,12ft.

Fig.13.

Height Opening

	3	3½	4	8	9	10	11	12ft.
3ft.	36/3	39/6	43/-	110/-	115/6	121/-	126/6	134/9
3½ft.	38/6	41/9	45/-	112/9	118/3	123/9	129/3	137/6
4ft.	40/9	44/-	47/6	115/6	121/-	126/6	132/-	140/3

Prices include Top Scrolls. 1 inch tube 5/- per pair extra.

Fig.14.

Height Opening

	3	3½	4	8	9	10	11	12ft.
3ft.	33/6	35/9	38/-	94/6	98/6	107/9	111/-	114/6
3½ft.	34/6	36/9	39/-	98/-	101/9	111/-	114/6	117/9
4ft.	35/9	38/-	40/3	101/6	105/-	114/6	117/9	121/-

Prices include Top Scrolls. 1 inch tube, 5/- per pair extra.

ALL PRICES PLUS SALES TAX.

Fig. 59.

Height	Opening							
	3	3½	4	8	9	10	11	12ft.
4ft.	57/9	63/3	71/6	160/6	174/3	188/6	201/9	215/6

Prices include Top Scrolls. 1 inch tube in 8,9,10,11,12ft.

Fig. 60.

Height	Opening							
	3	3½	4	8	9	10	11	12ft.
3ft.	38/6	41/9	45/-	112/3	118/3	123/9	130/3	138/-
3½ft.	40/9	44/-	47/3	115/6	121/-	126/6	133/-	140/9
4ft.	43/-	46/3	49/6	118/3	123/9	129/3	145/9	143/-

1 inch tube, 5/- per pair extra.

Fig. 61.

Height	Opening							
	3	3½	4	8	9	10	11	12ft.
3ft.	46/9	52/3	57/9	138/6	152/3	166/-	179/9	193/6
3½ft.	49/6	55/-	60/6	144/-	157/9	171/6	185/3	199/-
4ft.	52/3	57/9	63/3	149/6	163/3	177/-	190/9	204/6

Prices include Top Scrolls. 1 inch tube in 8,9,10,11,12ft.

Fig. 72.

Height	
3ft.	22/- per foot run, Tube and Scroll Iron.
3ft.	33/- per foot run, Square Wrought Iron.
	Made in any height. Prices accordingly.

Fig. 73.

Height	
3ft.	22/- per foot run, Tube and Scroll Iron.
3ft.	33/- per foot run, Square Wrought Iron.
	Made in any height. Prices accordingly.

Panel J.

Height	
18in.	8/3 per foot run, Tube and Scroll Iron.
18in.	12/- per foot run, Square Wrought Iron.
	Made in any height. Prices accordingly.

CATALOGUE PAGE 5.

Fig. 17.

Height	Opening							
	3	3½	4	8	9	10	11	12ft.
4ft. 4in.	68/9	77/-	85/3	187/-	203/6	220/-	236/6	253/-

Prices include Top Scrolls.

Panel A.

Height	12in.	18in.	24in.
	5/9	8/-	10/3 per foot run.

ALL PRICES PLUS SALES TAX.

Panel B..

Height	24in. 8/3	30in. 9/-	36in. 10/- per foot run.
--------	--------------	--------------	-----------------------------

Panel G.

Height	12in.	18in.	24in.
$\frac{3}{4}$ in. Gal. Tube	2/9	3/-	3/3 per foot run.
1in. Gal. Tube	3/-	3/3	3/7 " " "
$1\frac{1}{4}$ in. Gal. Tube	4/1	4/4	4/8 " " "

Panel H.

Height	12in. 5/6	18in. 6/6	24in. 7/9 per foot run.
--------	--------------	--------------	----------------------------

Panel E.

Height	12in. 4/4	18in. 5/- per foot run.
--------	--------------	----------------------------

Panel L.

Height	7in	2/9 per foot run.
--------	-----	-------------------

Fig.84.

Height. Opening.

	3	$3\frac{1}{2}$	4	8	9	10	11	12ft.
3ft	25/6	27/6	29/9	79/3	84/9	90/9	95/9	101/3
$3\frac{1}{2}$ ft.	26/6	28/6	30/9	81/6	88/-	93/6	99/-	104/3
4ft.	27/6	29/9	32/-	83/6	90/9	95/9	101/9	107/3
Top Scrolls: 3ft., 2/6; $3\frac{1}{2}$ ft. & 4ft. 3/-; 8, 9, 10, 11, 12ft. 6/- extra. 1 inch tube, 5/- per pair extra.								

Panel N.

Height	15in	5/6 per foot run.
--------	------	-------------------

Fig.85.

Height. Opening.

	3	$3\frac{1}{2}$	4	8	9	10	11	12ft.
3ft.	46/9	55/-	63/3	121/-	137/6	154/-	170/6	187/-
$3\frac{1}{2}$ ft.	49/6	57/9	66/-	126/6	143/-	159/6	176/-	192/6
4ft.	52/3	60/6	68/9	132/-	148/-	165/-	181/6	198/-
1 inch tube in 8, 9, 10, 11, 12ft.								

CATALOGUE PAGE 6.

Panel F.

Height	12in. 3/6	18in. 4/1	24in. 4/8 per foot run.
--------	--------------	--------------	----------------------------

Panel M.

Height	12in. 5/6	18in. 6/-	24in. 6/6 per foot run.
--------	--------------	--------------	----------------------------

ALL PRICES PLUS SALES TAX.

Fig.20.

Height	Opening							
	3	3½	4	5	9	10	11	12ft.
3ft.	35/3	36/3	39/-	98/-	101/9	111/-	114/6	117/9
3½ft.	36/3	37/6	41/3	101/3	105/-	114/6	117/9	121/-
4ft.	37/6	38/6	43/6	104/6	108/6	117/9	121/-	124/3

Prices include Top Scrolls.

1 inch tube, 5/- per pair extra.

Fig.19.

Height	Opening							
	3	3½	4	8	9	10	11	12ft.
3ft.	46/9	52/3	57/9	138/6	152/3	166/-	179/9	193/6
3½ft.	49/6	55/-	60/6	144/-	157/9	171/6	185/3	199/-
4ft.	52/3	57/9	63/3	149/6	163/3	177/-	190/9	204/6

Prices include Top Scrolls.

1 inch tube in 8,9,10,11,12 ft.

Panel D.

Height	18in.	24in.
	6/10	9/- per foot run.

Panel O.

Height	7in	2/9 per foot run.
--------	-----	-------------------

Panel P.

Height	12in.
1½in. Gal. Tube	2/3 per foot run.

Fig.86.

Height	Opening							
	3	3½	4	8	9	10	11	12ft.
3ft.	30/3	33/-	36/3	88/-	93/6	99/-	104/6	110/-
3½ft.	31/3	34/-	37/3	90/3	95/9	101/3	106/9	112/3
4ft.	32/6	35/3	38/6	92/6	98/-	103/6	109/-	114/6

Prices include Top Scrolls.

1 inch tube, 5/- per pair extra.

CATALOGUE PAGE 7.

Fig. 87.....Prices on application

Fig. 88.....Prices on application

Fig. 89.....Prices on application.

ALL PRICES PLUS SALES TAX.

CATALOGUE PAGE 8.

Fig.15.

Gauge	16	14	13	12	10	8			
$\frac{1}{2}$ in.mesh	9d.	10d.	-	-	-	-	per	sq.	foot.
$\frac{3}{4}$ in.mesh	8d.	9d.	-	-	-	-	"	"	"
1in.mesh	-	$4\frac{3}{4}$ d.	$5\frac{1}{2}$ d.	$5\frac{3}{4}$ d.	7d.	-	"	"	"
$1\frac{1}{4}$ in.mesh	-	$3\frac{3}{4}$ d.	$4\frac{1}{2}$ d.	5d.	$5\frac{1}{2}$ d.	-	"	"	"
$1\frac{1}{2}$ in.mesh	-	$2\frac{3}{4}$ d.	$3\frac{1}{4}$ d.	$3\frac{3}{4}$ d.	5d.	-	"	"	"
2in.mesh	-	$2\frac{1}{4}$ d.	$2\frac{1}{2}$ d.	$2\frac{3}{4}$ d.	$3\frac{1}{4}$ d.	$4\frac{1}{2}$ d.	"	"	"
3in.mesh	-	-	-	$2\frac{1}{2}$ d.	3 d.	$4\frac{1}{4}$ d.	"	"	"
4in.mesh	-	-	-	$1\frac{3}{4}$ d.	$2\frac{1}{2}$ d.	4d.	"	"	"

If required wire framed, add 2d. per sq. foot to above prices.

If flat or round iron framed, add 6d. per sq. foot to above prices.

Fig.46, Style A.

Height	30in.	36in.	42in.	48in.	54in.			
3in.mesh	$8\frac{1}{4}$ d.	$8\frac{3}{4}$ d.	$9\frac{3}{4}$ d.	$10\frac{1}{4}$ d.	$11\frac{1}{4}$ d.	per	foot	run.
$2\frac{1}{4}$ in.mesh	$9\frac{1}{4}$ d.	$9\frac{3}{4}$ d.	$10\frac{3}{4}$ d.	$11\frac{3}{4}$ d.	1/1	"	"	"
$1\frac{3}{4}$ in.mesh	$11\frac{3}{4}$ d.	1/-	$1/1\frac{1}{4}$	$1/2\frac{1}{4}$	$1/3\frac{1}{4}$	"	"	"

Fig.48, Style C.

Height	36in.	42in.	48in.	54in.			
	$1/0\frac{1}{2}$	$1/1\frac{1}{2}$	$1/2\frac{1}{2}$	$1/4$	per	foot	run.

Fig.49, Style F.

Height	30in.	36in.	42in.	48in.	54in.			
	$10\frac{3}{4}$ d.	$11\frac{3}{4}$ d.	$1/0\frac{1}{2}$	$1/1\frac{1}{2}$	$1/3$			

CATALOGUE PAGE 9.

Figs 43 and 45, K Fencing in Rolls of 50 yards.

Height	2inch Mesh		4inch Mesh		6in.Mesh	6in.Pig.	4in.Pig	No.of
in	Light	Hvy.	Light	Hvy.	Heavy	Fence	Fence	Line
inches								Wires
72	84/9	94/9	63/6	69/6	57/-	59/-	67/6	17
67	79/3	89/6	59/-	64/6	52/6	55/6	64/-	16
63	73/9	84/3	54/6	59/3	48/-	52/-	60/6	15
59	68/6	78/-	50/-	53/-	43/-	46/-	56/-	14
54	63/6	72/-	46/-	49/6	40/-	43/-	52/6	13
50	58/6	67/-	42/-	45/6	37/-	40/-	48/6	12
45	53/7	61/6	37/-	41/-	35/-	38/-	44/-	11
40	48/8	56/6	35/-	38/6	32/-	35/-	41/6	10
36	43/9	50/6	31/-	34/6	28/6	31/6	37/6	9
31	38/8	45/6	28/-	31/6	26/3	29/3	34/6	8
27	33/9	39/6	26/9	30/6	24/-	27/-	33/6	7

NOTE:- Pig Fences have Barbed Wire for Bottom Line Wire.

ALL PRICES PLUS SALES TAX.

"WARATAH" (Hinged Joint) FENCING.

Line Wires				Prices:		App. Wgt.	App. Bkg.
Top & Inter						Per Mile.	Strain
Quality.	Bottom.	mediate.	Pickets.	Per Mile,	Per Chain.	(lbs)	(lbs)

5 Wire 26in. Sheep Fence.

Spacing of Line Wires; 8in., 7in., 6in., 5in.,
Pickets 12in. apart.

Heavy	10g.	10g.	10g.	18- 8- 0	4/10	1890	5000
Standard	10g.	12g.	12g.	16- 5- 0	4/3	1400	4000
H. Tensile "Tyeasy"	12 $\frac{1}{2}$ g.	12 $\frac{1}{2}$ g.	12g.	14-13- 0	3/10	1140	6250

6 Wire 36in. Sheep Fence

Spacing of Line Wires, 9in., 8in., 7in., 6in., 6in.
Pickets 12in. apart.

Heavy	10g.	10g.	10g.	24- 3- 6	6/4	2390	6000
Standard	10g.	12g.	12g.	19-18- 6	5/3	1725	4660
H. Tensile "Tyeasy"	12 $\frac{1}{2}$ g.	12 $\frac{1}{2}$ g.	12g.	18- 6- 0	4/10	1400	7500

6 Wire 28in. Lamb Fence

Spacing of Line Wires : 7in., 6in., 5 $\frac{1}{2}$ in., 5in., 4 $\frac{1}{2}$ in.
Pickets 12in. apart

Heavy	10g.	10g.	10g.	21- 2- 6	5/7	2190	6000
Standard	10g.	12g.	12g.	18- 6- 6	4/10	1600	4660
H. Tensile "Tyeasy"	12 $\frac{1}{2}$ g.	12 $\frac{1}{2}$ g.	12g.	16-14- 0	4/5	1300	7500

8 Wire 40in. Farm Fence

Spacing of Line Wires, 8in., 7in., 6in., 5 $\frac{1}{2}$ in., 5in., 4 $\frac{1}{2}$ in., 4in.
Pickets 12in. apart.

Heavy	10g.	10g.	10g.	23-19- 0	7/10	3040	8000
Standard	10g.	12g.	12g.	24- 0- 6	6/4	2150	6000
H. Tensile "Tyeasy"	12 $\frac{1}{2}$ g.	12 $\frac{1}{2}$ g.	12g.	22- 8- 6	5/11	1760	10000

8 Wire 32in. Pig Fence.

Spacing of Line Wires, 6 $\frac{1}{2}$ in., 5 $\frac{1}{2}$ in., 5in., 4 $\frac{1}{2}$ in., 4in., 3 $\frac{1}{2}$ in., 3in.

Heavy	10g.	10g.	10g.	37-14- 6	9/11	3950	8000
Standard	10g.	10g.	12g.	34- 3- 6	9/-	3220	8000
H. Tensile "Tyeasy"	12 $\frac{1}{2}$ g.	12 $\frac{1}{2}$ g.	12g.	31-11- 0	8/3	2300	10000

Pickets 6in. apart.

Put up in 5 chain rolls.

Orders less than half mile charged at chain price.

Prices subject to alteration without notice

F.O.B. or F.O.R., Sydney or Newcastle.

TERMS: Prompt Nett Cash for "Waratah" (Hinged Joint) Fencing.

HINGED JOINT FENCING EXEMPT FROM SALES TAX

CATALOGUE PAGE 10.

Fig.21.

Height Opening
 8ft. 9ft.

3ft.....41/3 44/-

3½ft.....44/- 46/9 With 2 Centre Bars as illustrated.

4ft.....46/9 49/6

If requiring 1 Centre Bar only, deduct 2/6 from above prices.
1 inch tube, 5/- extra.

Fig.22.

Height Opening
 2½ft. 3ft. 3½ft. 4ft.

6ft. 22/- 23/- 24/3 25/3 wire netted.

Chain Wire, 5/- extra.

Fig.23.

Height Opening
 3ft. 3½ft. 4ft.

4feet 18/9 21/- 23/3

Rabbit netted, 2/- extra; chain wired, 4/- extra.

Fig.24.

Height Opening
 5ft. 6ft.

4ft. 25/3 27/6

28/- 30/9 Rabbit Netted

30/9 33/- Chain Wired.

Openings 7 8 9 10 11 12 13ft.

Fig.25.1½in.frame 32/6 33/6 35/9 37/- - - -

Fig.26.1½in.frame 40/9 44/- 48/6 52/9 - - -

CATALOGUE PAGE 11.

Fig.27.1½in.frame - - - 38/6 41/3 43/- 45/9

Fig.27.1½in.frame - - - 49/6 52/9 55/- 59/-

Fig.28. Same as Fig.27, plus 6d.per foot for Rabbit Netting.

Fig.29. Same as Fig.27,plus 4/6 for Barbed Wire Extension.

Openings 13 14 15 16 17 18ft.

Fig.30.1½in.frame 45/- 48/6 51/3 53/6 57/9 61/9

Fig.30.1½in.frame 57/- 62/3 65/- 67/- 71/6 76/-

Openings 10 11 12 13ft.

Fig.31.1½in.frame 44/- 46/9 49/6 52/3 Plus 6d.per ft.

Fig.31.1½in.frame 55/- 58/3 61/9 66/- for Rabbit Netting.

CATALOGUE PAGE 12

Fig.32.1½in.frame 51/3 54/6 57/9 61/-

Fig.32.1½in.frame 62/9 66/6 69/9 73/3

ALL PRICES PLUS SALES TAX.

Openings	12	13	14	15	16ft.
Fig.33. $1\frac{3}{8}$ in.frame	53/3	56/6	60/-	63/3	66/6
Fig.33. $1\frac{5}{8}$ in.frame	66/-	68/9	72/9	76/6	80/6

Openings	14	15	16ft.
Fig.34. $1\frac{3}{8}$ in.frame	71/-	76/6	82/-
Fig.34. $1\frac{5}{8}$ in.frame	83/-	90/3	96/3

Openings	8	9	10	11	12	13	14ft.
Fig.35. $1\frac{3}{8}$ in.frame	42/3	44/-	46/3	49/-	51/9	54/6	57/3

CATALOGUE PAGE 13.

Fig.36. $1\frac{3}{8}$ in.frame	50/-	52/3	54/6	57/9	61/6	65/6	69/3
---------------------------------	------	------	------	------	------	------	------

Openings	10	11	12	13	14ft.
Fig.37. $1\frac{3}{8}$ in.frame	51/-	54/-	56/-	57/9	60/-
Fig.37. $1\frac{5}{8}$ in.frame	64/3	66/6	68/3	71/-	74/3
Fig.38. $1\frac{3}{8}$ in.frame	65/6	68/3	71/-	73/9	
Fig.38. $1\frac{5}{8}$ in.frame	78/6	82/-	84/9	87/6	

Openings	14	15	16	17	18ft.
Fig.39. $1\frac{3}{8}$ in.frame	79/3	82/-	84/9	87/6	90/3
Fig.39. $1\frac{5}{8}$ in.frame	93/-	95/9	100/-	104/-	106/9

CATALOGUE PAGE 14.

Fig.40. $1\frac{3}{8}$ in.frame	59/6	61/-	63/9	65/6	68/3
Fig.40. $1\frac{5}{8}$ in.frame	71/-	73/9	77/-	79/3	82/-

Openings	20	22	24	26ft.
Fig.41. $1\frac{3}{8}$ in.frame	72/9	78/9	82/-	86/3
Fig.41. $1\frac{5}{8}$ in.frame	95/3	102/3	106/3	111/-

All Farm Gates Rabbit Netted if desired at an additional charge of 6d per foot run.

Barbed Extension, as Fig.29, 4/6 per Gate extra.

All Farm Gates made 4ft. high.

Fig.50 - "Waratah" Steel Fencing Posts. Posts packed in bundles of ten. Made in lengths of from 4ft.6in. to 10ft.

When ordering special spacings, please state length in ground and detail spacings from ground upwards.

ALL PRICES PLUS SALES TAX.

Fig. 50
Length.

Prices

Black Varnished

Galvanized

4ft. 6in.)		
5ft. 0in.)	10 $\frac{1}{2}$ d each	1/4d each
5ft. 6in.)		
6ft. 0in.)		
6ft. 6in.	1/3d each	1/10d each.
7ft. 0in.	1/4 $\frac{1}{2}$ d ,,	1/11d ,,
7ft. 6in.	1/6d ,,	2/0d ,,
8ft. 0in.	1/9d ,,	2/5d ,,
8ft. 6in.	1/11d ,,	2/6d ,,
9ft 0in.	2/0d ,,	2/7 $\frac{1}{2}$ d ,,
9ft. 6in.	2/1d ,,	2/9d ,,
10ft. 0in.	2/2d ,,	2/10 $\frac{1}{2}$ d ,,

Steel Fencing Posts are exempt from Sales Tax.

Ground Spuds 7d. each

Driving Caps 3/6 each.

1 Driving Cap free with every 250 Posts.

Extras for Special Spacings and all Posts over 6ft.

100 and over, no extra.

Lots of less than 100, and not less than 25, $\frac{1}{2}$ d per post extra.

Less than 25, 3d per post extra.

PRICES: F.O.B. or F.O.R., Sydney or Newcastle.

TERMS: For above, PROMPT NETT CASH.

Prices subject to alteration without notice.

CATALOGUE PAGE 15.

Fig. 75 Prices on application.

Fig. 76 Prices on application.

Fig. 77 Prices on application.

CATALOGUE PAGE 16.

Fig. 78 Prices on application.

Fig. 79 Prices on application.

Fig. 80 Prices on application.

CATALOGUE PAGE 17.

Fig. 81 Prices on application.

Fig. 82 Prices on application.

Fig. 83 Prices on application.

ALL PRICES PLUS SALES TAX.

CATALOGUE PAGE 18

- Fig. 74.....Prices on application.
- Fig. 53 - 6ft.6in. x 2ft.6in., 1½in. x 10g. wire...33/-
- Fig. 53 - 6ft.6in. x 2ft.6in., 2in. x 10g. wire....31/-
- Fig. 54.....From 44/- each.
- Fig. 55.....From 66/- each.


CATALOGUE PAGE 19.

- Fig. 62.....Prices on application.
- Fig. 16.....Prices on application.
- Fig. 63.....Prices on application.
- Fig. 64 - 6ft. x 3ft., from 33/- each, according to mesh
and size required.
- Fig. 65.....Prices on application.
- Fig. 66 - From 16/6 each, according to size.
- Fig. 67.....Prices on application.

CATALOGUE PAGE 20.

Showing style and method of fixing fittings supplied with
our Gates.

ALL PRICES PLUS SALES TAX.



Wholly Set up
and Published by
WIRE GATE AND FENCE
CO. OF N.S.W.,
Australia.